ELSEVIER

Volume 175, Issues 1–3, 1 June 2006

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Preface 1
L.A. Dobrzański

A statistical approach for monitoring stochastic welding processes 4
S.C. Absi Alfaro, G.C. Carvalho, F.R. da Cunha

An example of simulation tools use for large injection moulds design: The CONTENUR™ 2400 l solid waste container 15
J. Aisa, C. Javierre, J.A. De la Serna

Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects 20
E. Bayraktar, J. Moiron, D. Kaplan

An attempt to use alloy synthesis in evaluating the corrosion behaviour of Al- and Mg-based alloys 27
A. Białobrzeski, E. Czekaj

Integration concept and synergetic effect in modern management 33
M. Bobrek, M. Sokovic

Effect of elastomer structure on ceramic–elastomer composite properties 40
A. Boczkowska, K. Konopka, K.J. Kurzydłowski

Structure and properties of laser alloyed surface layers on the hot-work tool steel 45
M. Bonek, L.A. Dobrzański, E. Hajduczek, A. Klimpel

Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems 55
A. Buchacz

Copper etching with cupric chloride and regeneration of waste etchant 63
O. Cakir

Dimensional analysis of a new type of groove for steel rebar rolling 69
F.C. Minutolo, M. Durante, F. Lambiase, A. Langella

Design of experiment about foam CF45 for pedestrian safety in car design 77
N. Cappetti, A. Donnarumma, A. Naddeo, L. Russo

On the welding of different materials by diode laser 83
F. Curcio, G. Daurelio, F.M.C. Minutolo, F. Caiazzo

An intelligent system for monitoring and optimization of ball-end milling process 90
F. Cus, M. Milfelner, J. Balic

A generalized neural network model of ball-end milling force system 98
U. Zuperl, F. Cus, B. Mursec, T. Ploj

Bi-metallic dies for rapid die casting 109
M.T.A. Rasgado, K. Davey, L.D. Clark, S. Hinduja

Boundary element stress analysis for bi-metallic dies in pressure diecasting 117
M.T. Alonso Rasgado, K. Davey, L.D. Clark, S. Hinduja

The acceptation of the production orders for the realisation in the manufacturing assembly systems 123
A. Dobrzańska-Danikiewicz

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

Elsevier B.V.

Significance of materials science for the future development of societies 133
L.A. Dobrzański

Properties of composite materials with polymer matrix reinforced with Nd–Fe–B hard magnetic particles 149
L.A. Dobrzański, M. Drak

Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials 157
L.A. Dobrzański, K. Gołombek, E. Hajduczek

Prototype of an expert system for selection of coatings for metals 163
L.A. Dobrzański, J. Madejski

Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder 173
L.A. Dobrzański, G. Matula, G. Herranz, A. Várez, B. Levenfeld, J.M. Torralba

Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics 179
L.A. Dobrzański, D. Pakuła, A. Kříž, M. Soković, J. Kopač

The structure and properties of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the BN or Al_2O_3 ceramic particles 186
L.A. Dobrzański, A. Włodarczyk, M. Adamiak

Structure and properties of aluminium cast composites strengthened by dispersion phases 192
A. Dolata-Grosz, J. Śleziona, B. Formanek

Corrosive effects of salt hydrate phase change materials used with aluminium and copper 198
A.J. Farrell, B. Norton, D.M. Kennedy

Analysis of wire arc spraying process variables on coatings properties 206
I. Gedzevicius, A.V. Valiulis

Investigation on PA/PP mixture properties by means of DMTA method 212
A. Gnatowski, J. Koszkul

Fabrication technology and material characterization of carbon fibre reinforced magnesium 218
W. Hufenbach, M. Andrich, A. Langkamp, A. Czulak

Actor-initiated snap-through of unsymmetric composites with multiple deformation states 225
W. Hufenbach, M. Gude, A. Czulak

Development of piping elements from textile reinforced composite materials for chemical apparatus construction 231
W. Hufenbach, L. Kroll, R. Böhm, A. Langkamp, A. Czulak

Identification tests of stiction characteristics determining abrasive wear course of LH-15 steel 241
T. Kaldonski

Applications of Rietveld refinement in Fe–B–Nb alloy structure studies 246
M. Karolus

The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders ... 251
A. Klimpel, L.A. Dobrzański, A. Lisiecki, D. Janicki

The numerical analysis of roll deflection during plate rolling 257
M. Knapiński

Fabrication of Al_2O_3–Al composites by infiltration method and their characteristic 266
K. Konopka, M. Szafran

Adequacy of matrix experiment in grinding 271
P. Krajnik, J. Kopac

High-performance grinding—A review 278
J. Kopac, P. Krajnik

Influence of weld imperfection on short circuit GMA welding arc stability 285
K. Luksa

Glassy carbon particles as component to modification of tribological properties 291
J. Myalski, J. Śleziona

Machining of novel alumina/cyanoacrylate green ceramic compacts 299
S.H. Ng, J.B. Hull, J.L. Henshall

Tin influence on diamond–metal matrix hot pressed tools for stone cutting 306
Z. Nitkiewicz, M. Świerzy

Polyphase sintering and properties of metal matrix composites 316
J. Nowacki

Nanocrystalline soft magnetic composite cores 324
R. Nowosielski, J.J. Wysłocki, I. Wnuk, P. Gramatyka

Vanadium influence upon changes at tempering steels of small content of other elements 330
J. Pacyna, R. Dąbrowski

Dispersion analysis of NiAl–TiC–Al_2O_3 composite powder ground in a high-energy attritorial mill 334
G. Dercz, L. Pająk, B. Formanek

Characterization of machines for processing of waste materials 338
A. Ploj, B. Mursec, F. Cus, U. Zuperl

Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization 344
S. Prokhorenko, V. Prokhorenko, S. Mudry, W. Halczak, A.J. Panas, T. Lutsyshyn, J. Wojturski

The effect of annealing temperature on structure and magnetic properties of nanocomposite $Nd_{10}Fe_{84-x}W_xB_6$ ($0 < x < 33$ at.%) magnets ... 352
A. Przybył, J.J. Wysłocki

Porous titanium foil by tape casting technique 358
Z.S. Rak, J. Walter

Ceramic and metal matrix composites: Routes and properties 364
M. Rosso

Microstructure evolution of high-performance Ni-base superalloy GTD-111 with heat treatment parameters 376
S.A. Sajjadi, S.M. Zebarjad, R.I.L. Guthrie, M. Isac

Vacuum granulation of ceramic powders—Device and ability 382
S. Serkowski, M. Müller

Thermo-mechanical processing of low-alloy TRIP-steel 387
L. Skálová, R. Divišová, D. Jandová

Prediction of mechanical properties and microstructure distribution of quenched and tempered steel shaft 393
B. Smoljan

RE (reverse engineering) as necessary phase by rapid product development 398
M. Sokovic, J. Kopac

Corrosion of Cr–Ni–Mo steel implants electrically stimulated 404
J. Szewczenko, J. Marciniak

Electrochemical behavior of $Fe_{78}Si_9B_{13}$ alloy in sulphate and chloride solution 411
D. Szewieczek, A. Baron, G. Nawrat

Subcritical crack growth in zirconia-toughened alumina (ZTA) ceramics 416
M. Szutkowska, M. Boniecki

The study of the distribution of the transition metals and Si during primary precipitation of the intermetallic phases in Al–Mn–Si alloys 421
M. Warmuzek, J. Sieniawski, K. Wicher, G. Mrówka

New type AlMo-, AlTi- or Si-based magnetron sputtered protective coatings on metallic substrates 427
B. Wendler, M. Danielewski, K. Przybylski, A. Rylski, Ł. Kaczmarek, M. Jachowicz

The coercivity mechanism in nanocomposite $Nd_2Fe_{14}B$ + α-Fe magnets 433
I. Wnuk, J.J. Wysłocki

Detecting the singularities in engineering signals 439
W.-X. Yang, J.B. Hull, M.D. Seymour

Modification of fracture toughness of isotactic polypropylene with a combination of EPR and $CaCO_3$ particles 446
S.M. Zebarjad, S.A. Sajjadi, M. Tahani

The use of miniplates in mandibular fractures—biomechanical analysis 452
A. Zięboowicz, J. Marciniak

Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene 457
B. Zięboowicz, D. Szewieczek, L.A. Dobrzański

Author index 463

Subject index 465

ELSEVIER

Journal of Materials Processing Technology 175 (2006) 463–464

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 175

Absi Alfaro, S.C., 4
Adamiak, M., 186
Aisa, J., 15
Alonso Rasgado, M.T., 117
Andrich, M., 218

Balic, J., 90
Baron, A., 411
Bayraktar, E., 20
Białobrzeski, A., 27
Bobrek, M., 33
Boczkowska, A., 40
Böhm, R., 231
Bonek, M., 45
Boniecki, M., 416
Buchacz, A., 55

Caiazzo, F., 83
Cakir, O., 63
Cappetti, N., 77
Carvalho, G.C., 4
Clark, L.D., 109, 117
Curcio, F., 83
Cus, F., 90, 98, 338
Czekaj, E., 27
Czulak, A., 218, 225, 231

da Cunha, F.R., 4
Dąbrowski, R., 330
Danielewski, M., 427
Daurelio, G., 83
Davey, K., 109, 117
De la Serna, J.A., 15
Dercz, G., 334
Divišová, R., 387
Dobrzańska-Danikiewicz, A., 123
Dobrzański, L.A., 1, 45, 133, 149, 157, 163, 173, 179, 186, 251, 457
Dolata-Grosz, A., 192
Donnarumma, A., 77
Drak, M., 149
Durante, M., 69

Farrell, A.J., 198
Formanek, B., 192, 334

Gedzevicius, I., 206
Gnatowski, A., 212
Gołombek, K., 157
Gramatyka, P., 324
Gude, M., 225
Guthrie, R.I.L., 376

Hajduczek, E., 45, 157
Halczak, W., 344
Henshall, J.L., 299
Herranz, G., 173
Hinduja, S., 109, 117
Hufenbach, W., 218, 225, 231
Hull, J.B., 299, 439

Isac, M., 376

Jachowicz, M., 427
Jandová, D., 387
Janicki, D., 251
Javierre, C., 15

Kaczmarek, Ł., 427
Kaldonski, T., 241
Kaplan, D., 20
Karolus, M., 246
Kennedy, D.M., 198
Klimpel, A., 45, 251
Knapiński, M., 257
Konopka, K., 40, 266
Kopač, J., 179
Kopac, J., 271, 278, 398
Koszkul, J., 212
Krajnik, P., 271, 278
Kříž, A., 179
Kroll, L., 231
Kurzydłowski, K.J., 40

Lambiase, F., 69
Langella, A., 69
Langkamp, A., 218, 231
Levenfeld, B., 173
Lisiecki, A., 251
Luksa, K., 285
Lutsyshyn, T., 344

Madejski, J., 163
Marciniak, J., 404, 452
Matula, G., 173
Milfelner, M., 90
Minutolo, F.C., 69
Minutolo, F.M.C., 83
Müller, M., 382
Moiron, J., 20
Mrówka, G., 421
Mudry, S., 344
Mursec, B., 98, 338
Myalski, J., 291

Naddeo, A., 77
Nawrat, G., 411
Ng, S.H., 299
Nitkiewicz, Z., 306
Norton, B., 198
Nowacki, J., 316
Nowosielski, R., 324

Pacyna, J., 330
Pająk, L., 334
Pakuła, D., 179
Panas, A.J., 344
Ploj, A., 338
Ploj, T., 98
Prokhorenko, S., 344
Prokhorenko, V., 344
Przybył, A., 352
Przybylski, K., 427

Rak, Z.S., 358
Rasgado, M.T.A., 109
Rosso, M., 364
Russo, L., 77
Rylski, A., 427

Sajjadi, S.A., 376, 446
Serkowski, S., 382
Seymour, M.D., 439
Sieniawski, J., 421
Skálová, L., 387
Śleziona, J., 192, 291
Smoljan, B., 393
Soković, M., 179
Sokovic, M., 33, 398
Świerzy, M., 306
Szafran, M., 266
Szewczenko, J., 404
Szewieczek, D., 411, 457
Szutkowska, M., 416

Tahani, M., 446
Torralba, J.M., 173

Valiulis, A.V., 206
Várez, A., 173

Walter, J., 358
Warmuzek, M., 421

Elsevier B.V.
doi:10.1016/S0924-0136(06)00527-9

Wendler, B., 427
Wicher, K., 421
Włodarczyk, A., 186
Wnuk, I., 324, 433
Wojturski, J., 344
Wysłocki, J.J., 324, 352, 433

Yang, W.-X., 439

Zebarjad, S.M., 376, 446
Zięb owicz, A., 452
Zięb owicz, B., 457
Zuperl, U., 98, 338

ELSEVIER

Journal of Materials Processing Technology 175 (2006) 465–471

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 175

Abrasive grain
Identification tests of stiction characteristics determining abrasive wear course of LH-15 steel, 241
Abrasive wear
Identification tests of stiction characteristics determining abrasive wear course of LH-15 steel, 241
Abrasives
High-performance grinding—A review, 278
Acoustic emission
Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization, 344
Actor
Actor-initiated snap-through of unsymmetric composites with multiple deformation states, 225
Adaptive structures
Actor-initiated snap-through of unsymmetric composites with multiple deformation states, 225
Adhesion
Analysis of wire arc spraying process variables on coatings properties, 206
Advanced products
Significance of materials science for the future development of societies, 133
Agriculture
Characterization of machines for processing of waste materials, 338
Al_2O_3–Al composites
Fabrication of Al_2O_3–Al composites by infiltration method and their characteristic, 266
Alloy synthesis
An attempt to use alloy synthesis in evaluating the corrosion behaviour of Al- and Mg-based alloys, 27
Alloying
Structure and properties of laser alloyed surface layers on the hot-work tool steel, 45
AlMo(Si), AlTi(Cr) and $Si_xC_yN_z$ coatings
New type AlMo-, AlTi- or Si-based magnetron sputtered protective coatings on metallic substrates, 427
Alumina
Machining of novel alumina/cyanoacrylate green ceramic compacts, 299
Vacuum granulation of ceramic powders—Device and ability, 382
Aluminium
An attempt to use alloy synthesis in evaluating the corrosion behaviour of Al- and Mg-based alloys, 27
On the welding of different materials by diode laser, 83
Aluminium alloys
The study of the distribution of the transition metals and Si during primary precipitation of the intermetallic phases in Al–Mn–Si alloys, 421
Aluminum alloy
The structure and properties of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the BN or Al_2O_3 ceramic particles, 186
Aluminum matrix
Structure and properties of aluminium cast composites strengthened by dispersion phases, 192
Amorphous
Electrochemical behavior of $Fe_{78}Si_9B_{13}$ alloy in sulphate and chloride solution, 411
Applications
Ceramic and metal matrix composites: Routes and properties, 364
Arc spray
Bi-metallic dies for rapid die casting, 109
Arc spraying
Analysis of wire arc spraying process variables on coatings properties, 206
Attritorial mill
Dispersion analysis of NiAl–TiC–Al_2O_3 composite powder ground in a high-energy attritorial mill, 334

Ball-end milling
An intelligent system for monitoring and optimization of ball-end milling process, 90
Bone union
Corrosion of Cr–Ni–Mo steel implants electrically stimulated, 404
Borides
Polyphase sintering and properties of metal matrix composites, 316
Boundary elements
Bi-metallic dies for rapid die casting, 109
Boundary element stress analysis for bi-metallic dies in pressure diecasting, 117
Braiding technology
Development of piping elements from textile reinforced composite materials for chemical apparatus construction, 231
Brass
On the welding of different materials by diode laser, 83
Bronze
On the welding of different materials by diode laser, 83

CAD/CAE/CAM techniques
RE (reverse engineering) as necessary phase by rapid product development, 398
CAE design
An example of simulation tools use for large injection moulds design: The CONTENUR™ 2400 l solid waste container, 15
Calcium carbonate
Modification of fracture toughness of isotactic polypropylene with a combination of EPR and $CaCO_3$ particles, 446
Casting
Bi-metallic dies for rapid die casting, 109
Boundary element stress analysis for bi-metallic dies in pressure diecasting, 117
CBN
High-performance grinding—A review, 278

Elsevier B.V.
doi:10.1016/S0924-0136(06)00528-0

Cemented carbides
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
Ceramic particles
Structure and properties of aluminium cast composites strengthened by dispersion phases, 192
Ceramic powder
Vacuum granulation of ceramic powders—Device and ability, 382
Ceramic–elastomer composite
Effect of elastomer structure on ceramic–elastomer composite properties, 40
Ceramics
Ceramic and metal matrix composites: Routes and properties, 364
Cermets
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
CHT diagrams
Vanadium influence upon changes at tempering steels of small content of other elements, 330
Coating deposition
Prototype of an expert system for selection of coatings for metals, 163
Coatings
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
Prototype of an expert system for selection of coatings for metals, 163
Coefficient of friction
Glassy carbon particles as component to modification of tribological properties, 291
Coercivity mechanism
The coercivity mechanism in nanocomposite $Nd_2Fe_{14}B$ + α-Fe magnets, 433
Composite materials
Properties of composite materials with polymer matrix reinforced with Nd–Fe–B hard magnetic particles, 149
The structure and properties of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the BN or Al_2O_3 ceramic particles, 186
Composite powder
Dispersion analysis of NiAl–TiC–Al_2O_3 composite powder ground in a high-energy attritorial mill, 334
Composites
Structure and properties of aluminium cast composites strengthened by dispersion phases, 192
Ceramic and metal matrix composites: Routes and properties, 364
Computer aided synthesis
Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems, 55
Concentrating of powders
Vacuum granulation of ceramic powders—Device and ability, 382
Confor Foam
Design of experiment about foam CF45 for pedestrian safety in car design, 77
Container
An example of simulation tools use for large injection moulds design: The CONTENUR™ 2400 l solid waste container, 15
Copper
On the welding of different materials by diode laser, 83
Copper etching
Copper etching with cupric chloride and regeneration of waste etchant, 63
Corrosion
An attempt to use alloy synthesis in evaluating the corrosion behaviour of Al- and Mg-based alloys, 27
Corrosive effects of salt hydrate phase change materials used with aluminium and copper, 198
Corrosive wear
Properties of composite materials with polymer matrix reinforced with Nd–Fe–B hard magnetic particles, 149
Crushing
Characterization of machines for processing of waste materials, 338
Crystallites
Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene, 457
Cupric chloride
Copper etching with cupric chloride and regeneration of waste etchant, 63
Cutting forces
An intelligent system for monitoring and optimization of ball-end milling process, 90
A generalized neural network model of ball-end milling force system, 98
CVD
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
Cyanoacrylate
Machining of novel alumina/cyanoacrylate green ceramic compacts, 299

Debinding
Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder, 173
Machining of novel alumina/cyanoacrylate green ceramic compacts, 299
Decision support system
Prototype of an expert system for selection of coatings for metals, 163
Design
Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems, 55
Design of experiment
Design of experiment about foam CF45 for pedestrian safety in car design, 77
Development of human civilisation
Significance of materials science for the future development of societies, 133
Diamond–metal matrix
Tin influence on diamond–metal matrix hot pressed tools for stone cutting, 306
Die casting
Bi-metallic dies for rapid die casting, 109
Diffusion barriers
New type AlMo-, AlTi- or Si-based magnetron sputtered protective coatings on metallic substrates, 427
Dilatometric analysis
Polyphase sintering and properties of metal matrix composites, 316
Diode laser
On the welding of different materials by diode laser, 83
Dispersion analysis
Dispersion analysis of NiAl–TiC–Al_2O_3 composite powder ground in a high-energy attritorial mill, 334
Displacement analysis
The use of miniplates in mandibular fractures—biomechanical analysis, 452
Dynamic mechanical properties
Investigation on PA/PP mixture properties by means of DMTA method, 212
Dynamical characteristic
Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems, 55

Elastic deflection of the rolls
The numerical analysis of roll deflection during plate rolling, 257
Elastostatics
Boundary element stress analysis for bi-metallic dies in pressure diecasting, 117
Electrical stimulation
Corrosion of Cr–Ni–Mo steel implants electrically stimulated, 404

Electrochemical corrosion properties
Electrochemical behavior of $Fe_{78}Si_9B_{13}$ alloy in sulphate and chloride solution, 411
End-milling
A generalized neural network model of ball-end milling force system, 98
Engine valves
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
Engineering design
Significance of materials science for the future development of societies, 133
EPR
Modification of fracture toughness of isotactic polypropylene with a combination of EPR and $CaCO_3$ particles, 446
Etch rate
Copper etching with cupric chloride and regeneration of waste etchant, 63
Eutectic
Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization, 344
Expert system
Prototype of an expert system for selection of coatings for metals, 163

Failure criteria
Development of piping elements from textile reinforced composite materials for chemical apparatus construction, 231
Fault diagnosis
Detecting the singularities in engineering signals, 439
Fe-based materials
Electrochemical behavior of $Fe_{78}Si_9B_{13}$ alloy in sulphate and chloride solution, 411
FEM 3D
The numerical analysis of roll deflection during plate rolling, 257
FEM analysis
Dimensional analysis of a new type of groove for steel rebar rolling, 69
FINEMET alloys
Nanocrystalline soft magnetic composite cores, 324
Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene, 457
Finite element method
The use of miniplates in mandibular fractures—biomechanical analysis, 452
Fracture mechanism
Modification of fracture toughness of isotactic polypropylene with a combination of EPR and $CaCO_3$ particles, 446
Fracture toughness
Subcritical crack growth in zirconia-toughened alumina (ZTA) ceramics, 416

Galvanic corrosion of copper and aluminium
Corrosive effects of salt hydrate phase change materials used with aluminium and copper, 198
Gas corrosion-resistant coatings
New type AlMo-, AlTi- or Si-based magnetron sputtered protective coatings on metallic substrates, 427
Gas metal arc welding
A statistical approach for monitoring stochastic welding processes, 4
GDOES
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
Genetic algorithm
An intelligent system for monitoring and optimization of ball-end milling process, 90
Glassy carbon
Glassy carbon particles as component to modification of tribological properties, 291
GMA welding
Influence of weld imperfection on short circuit GMA welding arc stability, 285
Grinding
High-performance grinding—A review, 278
Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene, 457
GTD-111
Microstructure evolution of high-performance Ni-base superalloy GTD-111 with heat treatment parameters, 376

Hard magnetic materials
The effect of annealing temperature on structure and magnetic properties of nanocomposite $Nd_{10}Fe_{84-x}W_xB_6$ ($0 < x < 33$ at.%) magnets, 352
Heat treatment
Microstructure evolution of high-performance Ni-base superalloy GTD-111 with heat treatment parameters, 376
High-performance grinding
High-performance grinding—A review, 278
High-power diode laser
Structure and properties of laser alloyed surface layers on the hot-work tool steel, 45
High-speed grinding
High-performance grinding—A review, 278
High-speed steels
Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder, 173
Holographic interferometry
The use of miniplates in mandibular fractures—biomechanical analysis, 452
Hot-work tool steel
Structure and properties of laser alloyed surface layers on the hot-work tool steel, 45
HPDL
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
Hybrid composites
Modification of fracture toughness of isotactic polypropylene with a combination of EPR and $CaCO_3$ particles, 446
Hydrated salt phase change materials
Corrosive effects of salt hydrate phase change materials used with aluminium and copper, 198
Hypergraph
Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems, 55

Impact tensile test
Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects, 20
Implants
Corrosion of Cr–Ni–Mo steel implants electrically stimulated, 404
Infiltration
Effect of elastomer structure on ceramic–elastomer composite properties, 40
Fabrication of Al_2O_3–Al composites by infiltration method and their characteristic, 266
Injection moulding
An example of simulation tools use for large injection moulds design: The CONTENUR™ 2400 l solid waste container, 15
Integration management system (IMS)
Integration concept and synergetic effect in modern management, 33

Intermetallic phase
The study of the distribution of the transition metals and Si during primary precipitation of the intermetallic phases in Al–Mn–Si alloys, 421

LASER
Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects, 20
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
Latent heat thermal storage systems
Corrosive effects of salt hydrate phase change materials used with aluminium and copper, 198
Local dispatching rules
The acceptation of the production orders for the realisation in the manufacturing assembly systems, 123
Low energy heat pipe heat exchangers
Corrosive effects of salt hydrate phase change materials used with aluminium and copper, 198
Low-alloy steel
Thermo-mechanical processing of low-alloy TRIP-steel, 387
LPS
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251

Machines
Characterization of machines for processing of waste materials, 338
Magnesium
An attempt to use alloy synthesis in evaluating the corrosion behaviour of Al- and Mg-based alloys, 27
Magnesium matrix composites
Fabrication technology and material characterization of carbon fibre reinforced magnesium, 218
Magnetic properties
Nanocrystalline soft magnetic composite cores, 324
The effect of annealing temperature on structure and magnetic properties of nanocomposite $Nd_{10}Fe_{84-x}W_xB_6$ ($0 < x < 33$ at.%) magnets, 352
The coercivity mechanism in nanocomposite $Nd_2Fe_{14}B$ + α-Fe magnets, 433
Magnetron sputtering
New type AlMo-, AlTi- or Si-based magnetron sputtered protective coatings on metallic substrates, 427
Management
Integration concept and synergetic effect in modern management, 33
Mandible
The use of miniplates in mandibular fractures—biomechanical analysis, 452
Manufacturing
Significance of materials science for the future development of societies, 133
Manufacturing assembly system
The acceptation of the production orders for the realisation in the manufacturing assembly systems, 123
Material characterization
Fabrication technology and material characterization of carbon fibre reinforced magnesium, 218
Development of piping elements from textile reinforced composite materials for chemical apparatus construction, 231
Materials design
Significance of materials science for the future development of societies, 133
Materials science and engineering
Significance of materials science for the future development of societies, 133
Matrix experiment
Adequacy of matrix experiment in grinding, 271
Maximum static friction force
Identification tests of stiction characteristics determining abrasive wear course of LH-15 steel, 241
Mechanical properties
The structure and properties of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the BN or Al_2O_3 ceramic particles, 186
Structure and properties of aluminium cast composites strengthened by dispersion phases, 192
Prediction of mechanical properties and microstructure distribution of quenched and tempered steel shaft, 393
Metal matrix composites
Glassy carbon particles as component to modification of tribological properties, 291
Polyphase sintering and properties of metal matrix composites, 316
Metals
Ceramic and metal matrix composites: Routes and properties, 364
Micro-hardness
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
Microscope observation
The study of the distribution of the transition metals and Si during primary precipitation of the intermetallic phases in Al–Mn–Si alloys, 421
Microstructure
Fabrication of Al_2O_3–Al composites by infiltration method and their characteristic, 266
Porous titanium foil by tape casting technique, 358
Microstructure evolution of high-performance Ni-base superalloy GTD-111 with heat treatment parameters, 376
Prediction of mechanical properties and microstructure distribution of quenched and tempered steel shaft, 393
Miniplate
The use of miniplates in mandibular fractures—biomechanical analysis, 452
Mixtures
Investigation on PA/PP mixture properties by means of DMTA method, 212
Model
Adequacy of matrix experiment in grinding, 271
Model alloy
Vanadium influence upon changes at tempering steels of small content of other elements, 330
Modeling
A generalized neural network model of ball-end milling force system, 98
Monitoring
An intelligent system for monitoring and optimization of ball-end milling process, 90
Multi-component coatings
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
Multi-layer coating
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
Multistable composites
Actor-initiated snap-through of unsymmetric composites with multiple deformation states, 225

Nanocomposite
The effect of annealing temperature on structure and magnetic properties of nanocomposite $Nd_{10}Fe_{84-x}W_xB_6$ ($0 < x < 33$ at.%) magnets, 352
Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene, 457
The coercivity mechanism in nanocomposite $Nd_2Fe_{14}B$ + α-Fe magnets, 433
Nanocrystalline soft magnetic composite cores, 324

Nanocrystalline structure
Nanocrystalline soft magnetic composite cores, 324
Nanocrystallization
Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene, 457
Nanomaterials
Applications of Rietveld refinement in Fe–B–Nb alloy structure studies, 246
Nd–Fe–B
Properties of composite materials with polymer matrix reinforced with Nd–Fe–B hard magnetic particles, 149
The effect of annealing temperature on structure and magnetic properties of nanocomposite $Nd_{10}Fe_{84-x}W_xB_6$ ($0 < x < 33$ at.%) magnets, 352
Neural network
A generalized neural network model of ball-end milling force system, 98
NiAl + TiC + Al_2O_3
Dispersion analysis of NiAl–TiC–Al_2O_3 composite powder ground in a high-energy attritorial mill, 334
Nitride ceramics
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
Nozzle configuration
Analysis of wire arc spraying process variables on coatings properties, 206
Numerical modelling
Prediction of mechanical properties and microstructure distribution of quenched and tempered steel shaft, 393

Optimization
An intelligent system for monitoring and optimization of ball-end milling process, 90
Outside energetic treatment
Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization, 344

Particles
Glassy carbon particles as component to modification of tribological properties, 291
Particles speed
Analysis of wire arc spraying process variables on coatings properties, 206
Passive and passive-diamond layers
Corrosion of Cr–Ni–Mo steel implants electrically stimulated, 404
Pedestrian safety
Design of experiment about foam CF45 for pedestrian safety in car design, 77
Percolation microstructure
Effect of elastomer structure on ceramic–elastomer composite properties, 40
Permanent magnets
Properties of composite materials with polymer matrix reinforced with Nd–Fe–B hard magnetic particles, 149
Phase change materials
Corrosive effects of salt hydrate phase change materials used with aluminium and copper, 198
Phase composition
The effect of annealing temperature on structure and magnetic properties of nanocomposite $Nd_{10}Fe_{84-x}W_xB_6$ ($0 < x < 33$ at.%) magnets, 352
Phase transformations
Vanadium influence upon changes at tempering steels of small content of other elements, 330
Pin-on-disk
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
Pipe elements
Development of piping elements from textile reinforced composite materials for chemical apparatus construction, 231
Plasma
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
Plate rolling
The numerical analysis of roll deflection during plate rolling, 257
Polyamide
Investigation on PA/PP mixture properties by means of DMTA method, 212
Polypropylene
Investigation on PA/PP mixture properties by means of DMTA method, 212
Modification of fracture toughness of isotactic polypropylene with a combination of EPR and $CaCO_3$ particles, 446
Porosity
Analysis of wire arc spraying process variables on coatings properties, 206
Porous Ti sheets
Porous titanium foil by tape casting technique, 358
Powder cores
Nanocrystalline soft magnetic composite cores, 324
Powder injection moulding
Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder, 173
Powder metallurgy
Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder, 173
The structure and properties of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the BN or Al_2O_3 ceramic particles, 186
Press forming
Vacuum granulation of ceramic powders—Device and ability, 382
Pressing
Structure and properties of the $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders bound with polyethylene, 457
Principal component analysis
Detecting the singularities in engineering signals, 439
Processes
Ceramic and metal matrix composites: Routes and properties, 364
Product design
RE (reverse engineering) as necessary phase by rapid product development, 398
Production batch size
The acceptation of the production orders for the realisation in the manufacturing assembly systems, 123
Profile design
Dimensional analysis of a new type of groove for steel rebar rolling, 69
Prosperity of societies
Significance of materials science for the future development of societies, 133
PTA
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
PVD
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179

Quality of life
Significance of materials science for the future development of societies, 133

Quenching
Prediction of mechanical properties and microstructure distribution of quenched and tempered steel shaft, 393

Rapid prototyping
RE (reverse engineering) as necessary phase by rapid product development, 398
RDF function
Applications of Rietveld refinement in Fe–B–Nb alloy structure studies, 246
Residual stresses
Actor-initiated snap-through of unsymmetric composites with multiple deformation states, 225
Resistance spot welding
Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects, 20
Reverse engineering
RE (reverse engineering) as necessary phase by rapid product development, 398
Rietveld analysis
Applications of Rietveld refinement in Fe–B–Nb alloy structure studies, 246
Dispersion analysis of NiAl–TiC–Al_2O_3 composite powder ground in a high-energy attritorial mill, 334
Roll pass design
Dimensional analysis of a new type of groove for steel rebar rolling, 69
Rule
Prototype of an expert system for selection of coatings for metals, 163

Scanning (digitising)
RE (reverse engineering) as necessary phase by rapid product development, 398
Scratch test
Tribological properties of the PVD and CVD coatings deposited onto the nitride tool ceramics, 179
SEM
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
SEM microphotographs
Tin influence on diamond–metal matrix hot pressed tools for stone cutting, 306
Sheet formability
Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects, 20
Singular value decomposition
Detecting the singularities in engineering signals, 439
Singularity
Detecting the singularities in engineering signals, 439
Sintering
Metal injection moulding of HS12-1-5-5 high-speed steel using a PW-HDPE based binder, 173
Polyphase sintering and properties of metal matrix composites, 316
Sintering conditions
Porous titanium foil by tape casting technique, 358
SiO_2 ceramics
Effect of elastomer structure on ceramic–elastomer composite properties, 40
Snap-through
Actor-initiated snap-through of unsymmetric composites with multiple deformation states, 225
Sprayed dies
Boundary element stress analysis for bi-metallic dies in pressure diecasting, 117
Stainless steels
On the welding of different materials by diode laser, 83
Steel
Prediction of mechanical properties and microstructure distribution of quenched and tempered steel shaft, 393
Stellite powders
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
Stochastic analysis
A statistical approach for monitoring stochastic welding processes, 4
Stone cutting
Tin influence on diamond–metal matrix hot pressed tools for stone cutting, 306
Structure
Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems, 55
Structure and properties of aluminium cast composites strengthened by dispersion phases, 192
Subcritical crack growth (SCG)
Subcritical crack growth in zirconia-toughened alumina (ZTA) ceramics, 416
Super-abrasive
High-performance grinding—A review, 278
Superalloy
Microstructure evolution of high-performance Ni-base superalloy GTD-111 with heat treatment parameters, 376
Surface grinding
Adequacy of matrix experiment in grinding, 271
Surface layer
Structure and properties of laser alloyed surface layers on the hot-work tool steel, 45
Surfacing
The study of the technology of laser and plasma surfacing of engine valves face made of X40CrSiMo10-2 steel using cobalt-based powders, 251
System
Integration concept and synergetic effect in modern management, 33
Sensitivity of mechatronical systems represented by polar graphs and structural numbers as models of discrete systems, 55
System balance condition
The acceptation of the production orders for the realisation in the manufacturing assembly systems, 123

Tape casting
Porous titanium foil by tape casting technique, 358
TEM
Structure of the nanocrystalline coatings obtained on the CAE process on the sintered tool materials, 157
Temperature reference point
Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization, 344
Tempering
Vanadium influence upon changes at tempering steels of small content of other elements, 330
Testing
Characterization of machines for processing of waste materials, 338
Testing technology
Fabrication technology and material characterization of carbon fibre reinforced magnesium, 218
Development of piping elements from textile reinforced composite materials for chemical apparatus construction, 231
Textile composites
Development of piping elements from textile reinforced composite materials for chemical apparatus construction, 231
Thermal analysis
Bi-metallic dies for rapid die casting, 109
Thermo-mechanical processing
Thermo-mechanical processing of low-alloy TRIP-steel, 387

Ti6242
On the welding of different materials by diode laser, 83
Tiβ21
On the welding of different materials by diode laser, 83
TIG
Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects, 20
Tinned sheets
On the welding of different materials by diode laser, 83
Titanium hydride
Porous titanium foil by tape casting technique, 358
Transition metals Fe, Mn, Cr
The study of the distribution of the transition metals and Si during primary precipitation of the intermetallic phases in Al–Mn–Si alloys, 421
Tribological properties
Glassy carbon particles as component to modification of tribological properties, 291
TRIP effect
Thermo-mechanical processing of low-alloy TRIP-steel, 387

Ultrasonic detection
Detecting the singularities in engineering signals, 439
Urea–urethane elastomers
Effect of elastomer structure on ceramic–elastomer composite properties, 40

Vacuum
Porous titanium foil by tape casting technique, 358
Vacuum granulation
Vacuum granulation of ceramic powders—Device and ability, 382
Vanadium
Vanadium influence upon changes at tempering steels of small content of other elements, 330
Viscosity
Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization, 344
vK curve
Subcritical crack growth in zirconia-toughened alumina (ZTA) ceramics, 416

Waste material
Characterization of machines for processing of waste materials, 338
Waste regeneration
Copper etching with cupric chloride and regeneration of waste etchant, 63
Wear
Glassy carbon particles as component to modification of tribological properties, 291
Welding
Effect of welding conditions on the formability characteristics of thin sheet steels: Mechanical and metallurgical effects, 20
Influence of weld imperfection on short circuit GMA welding arc stability, 285
Welding monitoring
A statistical approach for monitoring stochastic welding processes, 4
Influence of weld imperfection on short circuit GMA welding arc stability, 285
Workpiece sectional shape
Dimensional analysis of a new type of groove for steel rebar rolling, 69

X-ray diffraction
Effects of outside energetic treatment of metal melts on the process of crystallization, analyzed by AE-method and melting plateau stabilization, 344
X-ray microanalysis
The study of the distribution of the transition metals and Si during primary precipitation of the intermetallic phases in Al–Mn–Si alloys, 421